


Kunststoff Zahnstangen

Synthetic Racks



Polyamid PA6 | nylon P6
spanabhebend bearbeitet | mat. machined

geradverzahnt | straight teeth

Eingriffswinkel | pressure angle **20°**

Verzahnungsqualität | toothing quality **10 h27**

Modul Module	theor. L	l	z**	b	h _a	h	[kg]	Bestell Nr. Part No.
1,0	251,32	250,8	80	10	10	9,0	0,03	148-010-602
1,0	499,51	499,0	159	10	10	9,0	0,05	148-010-605
1,0	999,02	998,5	318	15	15	14,0	0,30	148-010-610
1,5	249,75	249,3	53	15	15	13,5	0,06	148-015-602
1,5	499,51	499,1	106	15	15	13,5	0,11	148-015-605
1,5	999,02	998,6	212	17	17	15,5	0,36	148-015-610
2,0	251,32	250,8	40	20	20	18,0	0,13	148-020-602
2,0	502,65	502,1	80	20	20	18,0	0,20	148-020-605
2,0	999,02	998,5	159	20	20	18,0	0,40	148-020-610
2,5	251,32	250,8	32	25	25	22,5	0,15	148-025-602
2,5	502,65	502,2	64	25	25	22,5	0,31	148-025-605
2,5	997,45	997,0	127	25	25	22,5	0,61	148-025-610
3,0	254,46	253,8	27	30	30	27,0	0,20	148-030-602
3,0	499,51	498,9	53	30	30	27,0	0,40	148-030-605
3,0	999,02	998,4	106	30	30	27,0	0,80	148-030-610

Azetalharz | acetal Resin

[Hostaform C] | [hostaform C]

geradverzahnt | straight teeth

Eingriffswinkel | pressure angle **20°**

gespritzt | injection moulded

Modul Module	L	z**	b	h _a	h	[kg]	Bestell Nr. Part No.
0,5	250,0	158	4	4,5	4,0	0,005	149-005-602
0,7	250,0	112	6	6,7	6,0	0,01	149-007-602
1,0	250,0	79	9	9,0	8,0	0,03	149-010-602
1,25	250,0	63	10	11,0	9,8	0,04	149-012-602
1,5	250,0	53	12	12,0	10,5	0,05	149-015-602
2,0	250,0	39	15,4	11,0	9,0	0,05	149-020-602
2,5	250,0	32	17	13,0	10,5	0,05	149-025-602
3,0	250,0	26	19,4	15,0	12,0	0,08	149-030-602

z**... Zähnezahl | number of teeth